



HP	RPM	Frame	MOUNTING													
			A	B	C	D	G	P	E	2F	H	BA	AG	AH	AJ	AK
1/4	1800	56C	6.5	5.0	11.59	3.5	0.118	6.5	2.44	3.0	1.22x.34	2.75	9.53	2.06	5.875	4.5
1/3	3600	56C	6.5	5.0	11.59	3.5	0.118	6.5	2.44	3.0	1.22x.34	2.75	9.53	2.06	5.875	4.5
	1800	56C	6.5	5.0	11.59	3.5	0.118	6.5	2.44	3.0	1.22x.34	2.75	9.53	2.06	5.875	4.5
1/2	3600	56C	6.5	5.0	11.59	3.5	0.118	6.5	2.44	3.0	1.22x.34	2.75	9.53	2.06	5.875	4.5
	1800	56C	6.5	5.0	11.59	3.5	0.118	6.5	2.44	3.0	1.22x.34	2.75	9.53	2.06	5.875	4.5
	1200	56C	6.5	5.0	11.59	3.5	0.118	6.5	2.44	3.0	1.22x.34	2.75	9.53	2.06	5.875	4.5
3/4	3600	56C	6.5	5.0	12.57	3.5	0.118	6.5	2.44	3.0	1.22x.34	2.75	10.51	2.06	5.875	4.5
	1800	56C	6.5	5.0	12.57	3.5	0.118	6.5	2.44	3.0	1.22x.34	2.75	10.51	2.06	5.875	4.5
	1200	56C	6.5	5.0	12.57	3.5	0.118	6.5	2.44	3.0	1.22x.34	2.75	10.51	2.06	5.875	4.5
1	3600	56C	6.5	6.5	12.57	3.5	0.118	6.5	2.44	3.0	1.22x.34	2.75	10.51	2.06	5.875	4.5
	3600	143TC	6.5	6.5	13.81	3.5	0.118	6.5	2.75	4.0	1.22x.34	2.75	11.69	2.12	5.875	4.5
	1800	56C	6.5	6.5	12.57	3.5	0.118	6.5	2.44	3.0	1.22x.34	2.75	10.51	2.06	5.875	4.5
	1800	143TC	6.5	6.5	13.81	3.5	0.118	6.5	2.75	4.0	1.22x.34	2.75	11.69	2.12	5.875	4.5
	1200	145TC	6.5	6.5	12.63	3.5	0.118	6.5	2.75	5.0	1.22x.34	2.75	10.51	2.12	5.875	4.5
1 1/2	3600	145TC	6.5	6.5	12.63	3.5	0.118	6.5	2.75	5.0	1.22x.34	2.75	10.51	2.12	5.875	4.5
	1800	145TC	6.5	6.5	12.63	3.5	0.118	6.5	2.75	5.0	1.22x.34	2.75	10.51	2.12	5.875	4.5
	1200	182TC	8.8	6.5	16.89	4.5	0.118	8.9	3.75	4.5	.71x.47	3.5	14.27	2.62	7.250	8.5
2	3600	145TC	6.5	6.5	13.81	3.5	0.118	6.5	2.75	5.0	1.22x.34	2.75	11.69	2.12	5.875	4.5
	1800	145TC	6.5	6.5	13.81	3.5	0.118	6.5	2.75	5.0	1.22x.34	2.75	11.69	2.12	5.875	4.5
	1200	184TC	8.8	6.5	16.89	4.5	0.118	8.9	3.75	5.5	.71x.47	3.5	14.27	2.62	7.250	8.5
3	3600	182TC	8.8	6.5	16.89	4.5	0.118	8.9	3.75	4.5	.71x.47	3.5	14.27	2.62	7.250	8.5
	1800	182TC	8.8	6.5	16.89	4.5	0.118	8.9	3.75	4.5	.71x.47	3.5	14.27	2.62	7.250	8.5
	1200	213TC	10.0	8.5	21.5	5.25	0.157	10	4.25	5.5	.71x.47	4.25	18.38	3.12	7.250	8.5
5	3600	184TC	8.8	6.5	16.89	4.5	0.118	8.9	3.75	5.5	.71x.47	3.5	14.27	2.62	7.250	8.5
	1800	184TC	8.8	6.5	16.89	4.5	0.118	8.9	3.75	5.5	.71x.47	3.5	14.27	2.62	7.250	8.5
	1200	215TC	10.0	8.5	22.3	5.25	0.157	10	4.25	7.0	.71x.47	4.25	19.18	3.12	7.250	8.5
7 1/2	3600	213TC	10.0	8.5	21.5	5.25	0.157	10	4.25	5.5	.71x.47	4.25	18.38	3.12	7.250	8.5
	1800	213TC	10.0	8.5	21.5	5.25	0.157	10	4.25	5.5	.71x.47	4.25	18.38	3.12	7.250	8.5
10	3600	215TC	10.0	8.5	22.3	5.25	0.157	10	4.25	7	.71x.47	4.25	19.18	3.12	7.250	8.5
	1800	215TC	10.0	8.5	22.3	5.25	0.157	10	4.25	7	.71x.47	4.25	19.18	3.12	7.250	8.5

HP	RPM	Frame	CONDUIT BOX					SHAFT EXT		KEY SEAT			BEARINGS	
			AA	AB	AC	XL	XN	N-W	U	R	S	ES	DE	ODE
1/4	1800	56C	0.86	5.75	4.25	4.72	3.8	1.88	0.625	0.517	0.188	1.41	6205zz	6205zz
1/3	3600	56C	0.86	5.75	4.25	4.72	3.8	1.88	0.625	0.517	0.188	1.41	6205zz	6205zz
	1800	56C	0.86	5.75	4.25	4.72	3.8	1.88	0.625	0.517	0.188	1.41	6205zz	6205zz
1/2	3600	56C	0.86	5.75	4.25	4.72	3.8	1.88	0.625	0.517	0.188	1.41	6205zz	6205zz
	1800	56C	0.86	5.75	4.25	4.72	3.8	1.88	0.625	0.517	0.188	1.41	6205zz	6205zz
	1200	56C	0.86	5.75	4.25	4.72	3.8	1.88	0.625	0.517	0.188	1.41	6205zz	6205zz
3/4	3600	56C	0.86	5.75	4.25	4.72	3.8	1.88	0.625	0.517	0.188	1.41	6205zz	6205zz
	1800	56C	0.86	5.75	4.25	4.72	3.8	1.88	0.625	0.517	0.188	1.41	6205zz	6205zz
	1200	56C	0.86	5.75	4.25	4.72	3.8	1.88	0.625	0.517	0.188	1.41	6205zz	6205zz
1	3600	56C	0.86	5.75	4.25	4.72	3.8	1.88	0.625	0.517	0.188	1.41	6205zz	6205zz
	3600	143TC	0.86	5.75	4.25	4.72	3.8	2.25	0.875	0.771	0.188	1.41	6205zz	6205zz
	1800	56C	0.86	5.75	4.25	4.72	3.8	1.88	0.625	0.517	0.188	1.41	6205zz	6205zz
	1800	143TC	0.86	5.75	4.25	4.72	3.8	2.25	0.875	0.771	0.188	1.41	6205zz	6205zz
	1200	145TC	0.86	5.75	4.25	4.72	3.8	2.25	0.875	0.771	0.188	1.41	6205zz	6205zz
1 1/2	3600	145TC	0.86	5.75	4.25	4.72	3.8	2.25	0.875	0.771	0.188	1.41	6205zz	6205zz
	1800	145TC	0.86	5.75	4.25	4.72	3.8	2.25	0.875	0.771	0.188	1.41	6205zz	6205zz
	1200	182TC	0.94	7	5.3	4.45	4.05	2.75	1.125	0.986	0.25	1.78	6308zz	6306zz
2	3600	145TC	0.86	5.75	4.25	4.72	3.8	2.25	0.875	0.771	0.188	1.41	6205zz	6205zz
	1800	145TC	0.86	5.75	4.25	4.72	3.8	2.25	0.875	0.771	0.188	1.41	6205zz	6205zz
	1200	184TC	0.94	7	5.3	4.45	4.05	2.75	1.125	0.986	0.25	1.78	6308zz	6306zz
3	3600	182TC	0.94	7	5.3	4.45	4.05	2.75	1.125	0.986	0.25	1.78	6308zz	6306zz
	1800	182TC	0.94	7	5.3	4.45	4.05	2.75	1.125	0.986	0.25	1.78	6308zz	6306zz
	1200	213TC	0.94	7.6	6.2	4.45	4.05	3.38	1.375	1.201	0.312	2.41	6308zz	6208zz
5	3600	184TC	0.94	7	5.3	4.45	4.05	2.75	1.125	0.986	0.25	1.78	6308zz	6306zz
	1800	184TC	0.94	7	5.3	4.45	4.05	2.75	1.125	0.986	0.25	1.78	6308zz	6306zz
	1200	215TC	0.94	7.6	6.2	4.45	4.05	3.38	1.375	1.201	0.312	2.41	6308zz	6208zz
7 1/2	3600	213TC	0.94	7.6	6.2	4.45	4.05	3.38	1.375	1.201	0.312	2.41	6308zz	6208zz
	1800	213TC	0.94	7.6	6.2	4.45	4.05	3.38	1.375	1.201	0.312	2.41	6308zz	6208zz
10	3600	215TC	0.94	7.6	6.2	4.45	4.05	3.38	1.375	1.201	0.312	2.41	6308zz	6208zz
	1800	215TC	0.94	7.6	6.2	4.45	4.05	3.38	1.375	1.201	0.312	2.41	6308zz	6208zz